




File Edit Selection View Go Run Terminal Help

index.html build JS main.b247538c.js asset-manifest.json JS index.js M package.json M JS IPAddress.js U # IPAddress.css U # index.css M JS IPAddressContainer.js U JS UsefulApplication.js U

HOMEWORK... src > JS index.js

```
1 import React from "react";
2 import ReactDOM from "react-dom";
3 import "../index.css";
4 import IPAddressContainer from "../IPAddressContainer";
5 import "../UsefulApplication";
6 import UsefulApplication from "../UsefulApplication";
7
8 ReactDOM.render (
9   <div>
10     <IPAddressContainer/>
11     <UsefulApplication/>
12   </div>,
13 );
```

OUTLINE

TIMELINE

master 0 0 0

index.html build JS main.b247538c.js asset-manifest.json JS index.js M package.json M JS IPAddress.js U # IPAddress.css U # index.css M JS IPAddressContainer.js U JS UsefulApplication.js U

HOMEWORK... src > JS UsefulApplication.js > default

```
1 import React, { Component } from "react";
2 import "../index.css";
3
4 class UsefulApplication extends Component {
5   render () {
6     return (
7       <div>
8         <p class="application_info">IP addresses are required online to send a receive information. When data gets transferred online, there is an attached IP address from the sender as
9       </div>
10     );
11   }
12 }
13
14 export default UsefulApplication
```

OUTLINE

TIMELINE

Ln 14, Col 33 Spaces: 4 UTF-8 CRLF JavaScript